

## THA Adjustable Truss Hanger

The THA is a one-piece joist hanger supporting trussed rafters and composite timbers from timber members. The THA can be installed with a number of fixing options, for greater load capacity. See table below for fixing options. Available in seat widths from 38mm to 100mm.

- Location tab allows easier alignment to the carrying member.
- Choice of installation specifications to suit wrap-over or face fix.
- Speed prongs enable positioning of the hanger without nails before completing the install.
- Nailing schedules are stamped into the strap to provide the correct information to site operatives.
- The distinctive wide strap enhances the performance of the critical part of the connection by increasing the nail spacing and providing greater bearing area on the supporting girder.

## Features

### Material

- Pre-galvanised mild steel

### Avantages

c

## Applications

### Suitable On


- **Solid sawn timber**
- **Engineered timber**

### When to Use

- Trusses
- Joists

CE

EPD  
EN 15804




THA configurations.

THA  
Adjustable Truss Hanger

## Technical Data


### Product Dimensions



THA configurations.

References	Joist dimensions - face fix [mm]		Joist dimensions - wrap over (N3.75x30 joist nails or N3.75x75 Double Shear Joist Nails) [mm]		Joist dimensions - wrap over (N3.75x75 Nails throughout) [mm]		Product Dimensions [mm]							Header holes	Joist holes	Weight [kg]
	Header		Header		Header		A	B	C	D	E	F	t	Ø4.1	Dome nail holes	
	Min	Max.	Min	Max.	Min	Max.										
THA38	38	197	38	122	38	147	38	226	62.5	59.5	114	64.5	1.2	22	6	0.205
THA44	44	197	44	122	44	147	44	223	62.5	59.5	111	64.5	1.2	22	6	0.205
THA50	50	197	50	122	50	147	50	220	62.5	59.5	108	64.5	1.2	22	6	0.205
THA75	75	197	75	122	75	147	75	232.5	62.5	59.5	120	64.5	1.2	22	6	0.227
THA100	100	197	100	122	100	147	100	220	62.5	59.5	108	64.5	1.2	22	6	0.227

### Product capacities - Timber to timber - Face fix installation



References	Number of Fasteners				Characteristic Capacities [kN]		Safe working loads - C27/TR26 [kN]		
	Header		Joist		R <sub>1,k</sub>	R <sub>2,k</sub>	R <sub>1,SWL,Long Term</sub>	R <sub>1,SWL,Medium Term</sub>	R <sub>2,SWL,Short Term</sub>
	Qty	Type	Qty	Type	C27/TR26 N3.75x30	N3.75x30	N3.75x30	N3.75x30	N3.75x30
THA38	20	*	6	N3.75x30	12.4	3.7	5.2	5.9	1.9
THA44	20	*	6	N3.75x30	12.4	3.7	5.2	5.9	1.9
THA50	20	*	6	N3.75x30	12.4	3.7	5.2	5.9	1.9
THA75	20	*	6	N3.75x30	12.4	3.7	5.2	5.9	1.9
THA100	20	*	6	N3.75x30	12.4	3.7	5.2	5.9	1.9


\* Refer to capacity table columns for type of fasteners that can be used on header. Capacities depending on fastener type.

# Technical data sheet



## THA Adjustable Truss Hanger


Product capacities - Timber to timber - Face fix installation (Double Shear Joist Nails)



References	Number of Fasteners				Characteristic capacities - Timber C27/TR26 [kN]		Safe working loads - C27/TR26 [kN]		
	Header		Joist		$R_{1,k}$	$R_{2,k}$	$R_{1,SWL,Long Term}$	$R_{1,SWL,Medium Term}$	$R_{2,SWL,Short Term}$
	Qty	Type	Qty	Type	N3.75x30	N3.75x30	N3.75x30	N3.75x30	N3.75x30
THA38	20	N3.75*	6	N3.75x75	15.4	5.3	6.4	7.3	2.7
THA44	20	N3.75*	6	N3.75x75	15.4	5.3	6.4	7.3	2.7
THA50	20	N3.75*	6	N3.75x75	15.4	5.3	6.4	7.3	2.7
THA75	20	N3.75*	6	N3.75x75	15.4	5.3	6.4	7.3	2.7
THA100	20	N3.75*	6	N3.75x75	15.4	5.3	6.4	7.3	2.7


\* Refer to capacity table columns for type of fasteners that can be used on header. Capacities depending on fastener type.

Product capacities - Timber to timber - Face fix installation (N3.75x75 Nails throughout)



References	Number of Fasteners		Characteristic capacities - C27/TR26 [kN]		Safe working Loads - C27/TR26 [kN]		
	Header	Joist	$R_{1,k}$	$R_{2,k}$	$R_{1,SWL,Long Term}$	$R_{1,SWL,Medium Term}$	$R_{2,SWL, Short Term}$
	Qty	Qty	N3.75x75	N3.75x75	N3.75x75	N3.75x75	N3.75x75
THA50	26	6	20.46	5.3	8.6	9.8	2.7
THA100	26	6	20.46	5.3	8.6	9.8	2.7

Product capacities - Timber to timber - Wrap over installation




References	Number of Fasteners			Characteristic Capacities [kN]		Safe Working Loads - C27/TR26 [kN]		
	Header		Joist	$R_{1,k}$	$R_{2,k}$	$R_{1,SWL,Long Term}$	$R_{1,SWL,Medium Term}$	$R_{2,SWL,Short Term}$
	Top	Face	Qty	C27/TR26	N3.75x30	N3.75x30	N3.75x30	N3.75x30
	Qty	Qty		N3.75x30				
THA38	4	8	6	10.5	3.7	4.4	5	1.9
THA44	4	8	6	10.5	3.7	4.4	5	1.9
THA50	4	8	6	10.5	3.7	4.4	5	1.9
THA75	4	8	6	10.5	3.7	4.4	5	1.9
THA100	4	8	6	10.5	3.7	4.4	5	1.9

# Technical data sheet



## THA Adjustable Truss Hanger


Product capacities - Timber to timber - Wrap over installation (Double Shear Joist Nails)



References	Number of Fasteners						Characteristic capacities - C27/TR26 [kN]		Safe Working Loads - C27/TR26 [kN]		
	Header				Joist		$R_{1,k}$	$R_{2,k}$	$R_{1,SWL,Long Term}$	$R_{1,SWL,Medium Term}$	$R_{2,SWL,Short Term}$
	Top		Face		Qty	Type	N3.75x30	N3.75x30	N3.75x30	N3.75x30	N3.75x30
	Qty	Type	Qty	Type							
THA38	4	N3.75*	8	N3.75*	6	N3.75x75	16.4	5.3	6.8	7.8	2.7
THA44	4	N3.75*	8	N3.75*	6	N3.75x75	16.4	5.3	6.8	7.8	2.7
THA50	4	N3.75*	8	N3.75*	6	N3.75x75	16.4	5.3	6.8	7.8	2.7
THA75	4	N3.75*	8	N3.75*	6	N3.75x75	16.4	5.3	6.8	7.8	2.7
THA100	4	N3.75*	8	N3.75*	6	N3.75x75	16.4	5.3	6.8	7.8	2.7

\* Refer to capacity table columns for type of fasteners that can be used on header. Capacities depending on fastener type.

Product capacities - Timber to timber - Wrap over installation (N3.75x75 Nails throughout)



References	Number of Fasteners			Characteristic capacities - C27/TR26 [kN]		Safe Working Load - C27/TR26 [kN]		
	Header		Joist	$R_{1,k}$	$R_{2,k}$	$R_{1,SWL,Long Term}$	$R_{1,SWL,Medium Term}$	$R_{2,SWL,Short Term}$
	Top	Face	Qty	N3.75x75	N3.75x75	N3.75x75	N3.75x75	N3.75x75
	Qty	Qty						
THA50	4	14	6	20.46	5.3	8.6	9.8	2.7
THA100	4	14	6	20.46	5.3	8.6	9.8	2.7



## THA Adjustable Truss Hanger

### Installation

#### Installation

##### **2 Installation Configurations :**

- Face Fix - Straps fixed to face of supporting timber. Face nailing only
- Wrap Over - Straps folded over top of supporting member. Face and Top Nailing.



*THA configurations.*

